

	Type	Hits	Search Text	DBs
1	BRS	1440	priority adj queue	USPAT
2	BRS	0	(priority adj queue) and g06f\$.ipc.	USPAT
3	BRS	676	(priority adj queue) and g06f\$.ipc.	USPAT
4	BRS	48	(priority near2 instruction near2 queue) and g06f\$.ipc.	USPAT
5	BRS	325	high adj priority adj queue	USPAT
6	BRS	176	(high adj priority adj queue) and (low adj priority adj queue)	USPAT
7	BRS	68	(high adj priority adj queue) and (low adj priority adj queue) and g06f\$.ipc.	USPAT
8	BRS	15	(high adj priority adj queue) and (low adj priority adj queue) and g06f\$.ipc. and (cache adj miss)	USPAT
9	BRS	40	(priority adj queue) and g06f\$.ipc. and (cache adj miss)	USPAT
10	BRS	0	((priority adj queue) and (cache adj miss))same g06f\$.ipc.	USPAT
11	BRS	697	link adj pointer	USPAT
12	BRS	3	(link adj pointer) and (conditional adj execution)	USPAT
13	BRS	5	((priority adj queue) same(cache adj miss))and g06f\$.ipc.	USPAT
14	BRS	5	((priority adj queue) same(cache adj miss))	USPAT
15	BRS	11	((two adj priority adj queue))and g06f\$.ipc.	USPAT
16	BRS	8	((plurality adj priority adj queue))and g06f\$.ipc.	USPAT
17	BRS	238	prefetch adj queue	USPAT
18	BRS	110	(prefetch adj queue)and priority	USPAT
19	BRS	64	(prefetch adj queue)and priority and branch	USPAT
20	BRS	6	(prefetch adj queue)same priority and branch	USPAT
21	BRS	1	(priority adj queue) same scalar	USPAT
22	BRS	0	(priority adj queue) same (scalar and vector)	USPAT
23	BRS	39	(priority adj queue) same ( vector)	USPAT
24	BRS	39	(priority adj queue) same (vector)	USPAT
25	BRS	5242	priority near2 priority	USPAT
26	BRS	513	vector near2 priority	USPAT
27	BRS	0	(vector with scalar) near2 priority	USPAT

	Type	Hits	Search Text	DBs
28	BRS	13	(vector with priority) same (scalar with priority)	USPAT
29	BRS	12	((vector with priority) same (scalar with priority))and g06f\$.ipc.	USPAT
30	BRS	26	meonske	USPAT
31	BRS	70	suryawanshi	USPAT
32	BRS	64	suryawanshi.xa.	USPAT
33	BRS	6	suryawanshi not suryawanshi.xa.	USPAT
34	BRS	42	chang.xa. and eric.xa.	USPAT
35	BRS	75	kosowski.xa.	USPAT
36	BRS	75	kosowski.xa. and alexander.xa.	USPAT
37	BRS	0	bleck.xa. and carolyn.xa.	USPAT
38	BRS	1	"5864341".pn.	USPAT
39	BRS	181	712/214.ccls.	USPAT
40	BRS	395	712/215.ccls.	USPAT
41	BRS	341	712/207.ccls.	USPAT
42	BRS	284	712/234.ccls.	USPAT
43	BRS	218	712/237.ccls.	USPAT
44	BRS	140	712/238.ccls.	USPAT
45	BRS	116	712/2,3.ccls.	USPAT
46	BRS	1	"5353421".pn.	USPAT
47	BRS	0	"9849799".ap.	USPAT
48	BRS	0	"9849799"	USPAT
49	BRS	0	"9849799".an.	USPAT
50	BRS	0	"9849799".ap.	USPAT
51	BRS	0	"9849799"	USPAT
52	BRS	0	"849799".an.	USPAT
53	BRS	0	"849799".ap.	USPAT
54	BRS	1	"849799".ap.	US- PGPUB; USPAT
55	BRS	9	priority adj instruction adj queue	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
56	BRS	0	classification adj instruction adj queue	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	BRS	4	(instruction adj priority) near2 queue	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
58	BRS	0	(instruction adj priority) near2 FIFO	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	BRS	0	(instruction adj priority) near2 buffer	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	BRS	233	priority with instruction with queue	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
61	BRS	0	(priority with instruction with queue) and issu\$3 and decod43	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	BRS	102	(priority with instruction with queue) and issu\$3 and decod\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	BRS	4	((priority with instruction with queue) and issu\$3 and decod\$3) and 712/? .ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
64	BRS	303	clon\$3 near2 instruction	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
65	BRS	32	clon\$3 adj instruction	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
66	BRS	0	prefetch3 ADJ INSTRUCTION	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
67	BRS	1910	prefetch\$3 ADJ INSTRUCTION	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
68	BRS	1	clon\$3 with prefetch\$3 ADJ INSTRUCTION	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
69	BRS	218	(generat\$3 or clon\$3) with prefetch\$3 ADJ INSTRUCTION	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
70	BRS	74	(generat\$3 or clon\$3) near2 prefetch\$3 ADJ INSTRUCTION	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
71	BRS	2	"5704053".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
72	BRS	207	thread adj bit	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
73	BRS	0	(cod\$3 adj thread adj bit)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
74	BRS	0	(encod\$3 adj thread adj bit)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
75	BRS	8	(instruction with thread adj bit)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
76	BRS	66	(instruction with thread adj ID)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB